§Appl. No. 10/049,442 Amdt. dated July 8, 2004 Reply to Office Action of, January 8, 2004

Listing of Claims:

- 1. (Currently Amended) A tablet <u>eontaining comprising</u> at least one genus of probiotic microorganisms, characterized in that the tablet <u>itself</u> and/or the probiotic microorganisms has/have at least one enteric coating <u>comprising</u> at least two layers.
- 2. (Original) The tablet according to claim 1, characterized in that the tablet is a multilayer tablet.
- 3. (Currently Amended) The tablet according to claim 1, characterized in that the probiotic microorganisms are lactobacilli, bifidus bacteris bacteria, or streptococci, preferably Lactobacillus casei, Lactobacillus acidophilus, Bifidobacterium bifidum, Bifidobacterium longum, and/or Lactobacillus plantarum.
- 4. (Currently Amended) The tablet according to claim 1, characterized in that it contains from 10³ to 10¹², preferably from 10⁵ to 10¹¹, more preferably or from 10⁷ to 10¹⁰ probiotic microoganisms.
- 5. (Previously Presented) The tablet according to claim 1, characterized in that the enteric coating essentially consists of shellac or of shellac and polyvinylpyrrolidone.
- 6. (Currently Amended) The tablet according to claim 1, characterized in that the coating is comprised of at least two layers, one layer essentially consisting of hydroxypropylmethylcellulose, methylcellulose and/or polyvinylpyrrolidone, and/or one layer essentially consisting of shellac or shellac and polyvinylpyrrolidone.

2

MERCK-2794

§Appl. No. 10/049,442 Amdt. dated July 8, 2004 Reply to Office Action of, January 8, 2004

- 7. (Original) The tablet according to claim 6 1, characterized in that the coating is comprised of at least two layers arranged one on top of the other, the/one inner layer in the proximity of the core essentially consisting of hydroxypropylmethylcellulose, methylcellulose and/or polyvinylpyrrolidone, and/or the/one outer, off-core layer essentially consisting of shellac or of shellac and polyvinylpyrrolidone.
- 8. (Currently Amended) The tablet according to claim 5, characterized in that the amount of shellac is from 1 to 10 wt.-%, preferably from 1.5 to 6 wt.-%, and more preferably or from 2 to 3.5 wt.-%.
- 9. (Currently Amended) The tablet according to claim 1, characterized in that it contains further nutritionally relevant additives, preferably further comprises vitamins, minerals, trace elements, roughage, enzymes, vegetable extracts, proteins, carbohydrates, and/or fats.
- 10. (Previously Presented) The tablets according to claim 1, characterized in that it contains additional adjuvants, particularly in its coating(s), preferably further comprises plasticizers, more preferably glycerol, Miglyol, mold wax, and/or acetylated monoglycerides.
- 11. (Withdrawn) A process for producing the tablet according to claim 1, characterized in that the coating is coated from an aqueous solution and/or from an organic solution, preferably from an organic solution, and more preferably from am alcoholic solution.
- 12. (Withdrawn) An oral administration form containing at least one genus of probiotic microorganisms, characterized in that the administration form itself and/or the probiotic microorganisms has/have at least one enteric coating.

3

MERCK-2794

§Appl. No. 10/049,442 Amdt. dated July 8, 2004 Reply to Office Action of, January 8, 2004

- 13. (Withdrawn) The oral administration form according to claim 12, characterized in that the oral administration form is a tablet, a coated tablet, a capsule, a granulate, or a powder, preferably at tablet, and more preferably a tablet, and more preferable a multilayer tablet.
- 14. (New) A tablet comprising at least one genus of probiotic microorganisms, characterized in that the coating is comprised of at least two layers, one layer essentially consisting of hydroxypropylmethylcellulose, methylcellulose and/or polyvinylpyrrolidone, and/or one layer essentially consisting of shellac or shellac and polyvinylpyrrolidone, and wherein probiotic microorganisms are lactobacilli, bifidus bacteria, or streptococci, Lactobacillus casei, Lactobacillus acidophilus, Bifidobacterium bifidum, Bifidobacterium longum, and/or Lactobacillus plantarum.